





# 2022 PREMIUM PRODUCTS CATALOG



HUMIC PRODUCTS
PREMIUM NUTRITION

FERTILIZERS

HERBICIDES

INSECTICIDES

**FUNGICIDES** 

**GROWTH REGULATORS** 

**SPREADERS** 

# ROOTED IN QUALITY, SERVICE, AND TECHNOLOGY

With a focus on quality, service, and technology, the products we bring to market are designed to make work easier for those who use them. From a broad range of fertilizers, control products, soil enhancers, and spreaders to patented products and technologies, we're committed to delivering next-generation solutions with the highest level of quality and customer service in the industry.

The Andersons, Inc. was founded in 1947 in Maumee, Ohio, and is currently an eight billion dollar corporation (NASDAQ:ANDE). As a worldwide supplier to the turf industry, The Andersons is a major manufacturer and marketer of patented dispersible granular products such as Contec DG® for putting greens, tees and other fine turf. In addition, The Andersons offers a full line of premium products designed for professional turf maintenance, establishment, and renovation including Foltec® SG soluble granule fertilizers, HCU® humic coated urea, Humic DG™ humic acid dispersing granules, Black Gypsum DG® humic acid and gypsum dispersing granules, and Genesis Rx® complete fertilizer and soil amendment.

The Andersons, Inc. also conducts business in the commodity merchandising and biofuels sectors.

For more about The Andersons, visit www.AndersonsPlantNutrient.com.

# **TABLE OF CONTENTS**

(lick on a category or product name to jump to that section.

	● TURF NUTRITION TOOL®	4-5
	NITROGEN SOURCES	6-7
ry ' to	A+ PRODUCTS	8
	BASELINE NUTRITION	g
	HUMIC PRODUCTS	10-15
	Why Humic Acid	
	HCU® - Humic Coated Urea	
	Humic DG™	14
	Black Gypsum DG®	14
	Humic DG™ CharX®	14
	PREMIUM NUTRITION	16-29
	High-Performance Turf Nutrition	18
	Sprayable Fairway Nutrition, Redefined	
	Contec DG®	20-23
	Premium Aerification Products	24-25
	Foltec® SG	
	Foltec® LQ	29
•	FERTILIZERS	30-32
	HERBICIDES	33-35
• II	NSECTICIDES	36
• FU	UNGICIDES	37
• GR	OWTH REGULATORS	37
	EADERS	
J JFK	EAVERS	
LIQU	ID ICE MELT	39
WEBS	SITE RESOURCES	39

(lick on this icon on any page to return to the table of contents.

Rates on these products may vary with use. Consult product label for your particular use.

STAY CONNECTED:




@AndersonsTurf AndersonsPro



# NEW AND IMPROVED



# **TURF NUTRITION TOOL**



The Turf Nutrition Tool (TNT) is a web-based platform that allows turf managers to create custom nutrition programs and model the nitrogen release of many of our most popular granular and foliar products.

Perfect for building season-long nutrition programs or comparing approaches for in-season practices like aerification, the TNT simplifies both product selection and application scheduling.



# **NITROGEN SOURCES**

# THE ANDERSONS' PROPRIETARY NITROGEN SOURCE

#### **HCU®** (HUMIC COATED UREA)

This proprietary technology from The Andersons produces a cost-effective 44-0-0 nitrogen granule that is bonded with potassium humate. These clean, spherical, free-flowing granules are 100% soluble for use in both liquid and dry applications. The humic coating aids in the prevention of nitrogen loss from volatilization better than or equal to industry standard enhanced efficiency fertilizers. Additionally, the humic coating serves as a great carbon source to help soil microbiology flourish.

#### STABILIZED NITROGEN

This category of enhanced efficiency fertilizers (EEFs) has no coating applied to the prill similar in the case of slow release technology. EEFs are fertilizers which contain a plant nutrient in a form which delays its availability for plant uptake and use. However, rather than a coating like their slow release counterparts, these products utilize a nitrogen release inhibitor that is applied to the fertilizer (AAPFCO, 2017).

#### **FORTIFY®-N**

Fortify-N features dual-nitrogen stabilizer technology which minimizes risk from environmental losses such as volatilization, leaching, and denitrification. Compared to an untreated urea, this technology allows for better utilization of nitrogen; it enhances performance, protects the environment, and improves cost-in-use.

# ORGANIC NITROGEN SOURCES BIOMEND®

Biomend features all natural and organic nutrient sources and contains no biosolids, manure, or wastewater byproducts. Utilizing a plant-based soybean meal for a portion of the nitrogen source, Biomend does


#### **BIOSOLIDS**

Biosolids consist of both quick and slow release forms of nitrogen. These products provide both quick greening and longer-term nitrogen feeding.

not emit any odor like biosolid/poultry fertilizers.

#### **INNOVA®**

This fertilizer source is 100% plant derived and OMRI approved, making it an ideal addition to organic fertility programs. This product is odor free and contains no biosolids, manure, or wastewater byproducts.



You work hard to create high-quality turf and beautiful landscapes for your customers, and we work hard to provide technology that makes your job easier. Enhanced efficiency fertilizer products allow increased plant nutrient availability and reduce the potential for nutrient loss into the environment. Enhanced efficiency products are any that are defined as "having slow release and stabilized characteristics" (AAPFCO, 2017).

#### **SLOW RELEASE NITROGEN**

The Association of American Plant Food Control Officials (AAPFCO) defines slow or controlled release fertilizers as "containing a plant nutrient in a form which delays its availability for plant uptake and use after application". (AAPFCO, 2017).

#### **MUTECH®**

This controlled release nitrogen source derived from methylene urea provides extended release for our longest duration fertilizers. Methylene urea provides steady, predictable nitrogen release regardless of your climate. MUtech fertilizers have a low salt index which means there is low burn potential.

#### **POLY-S®**

This premium slow release fertilizer is a polymer-coated, sulfur-coated urea which provides extended nitrogen release. Poly-S contains a high percentage of sulfur in the coating of every prill.

#### NS-54™


This premium slow release fertilizer is a polymer-coated, sulfur-coated urea which provides extended nitrogen release. NS-54 contains a modestly higher percentage of nitrogen than traditional PCSCU due to an advanced polymer coating combined with a lower sulfur coating weight.

#### EXTEND™

This slow release fertilizer technology is a polymer-coated urea (PCU) which contains no sulfur. Extend's long release characteristics, paired with great economics in use, make it an ideal nitrogen source for large turf areas such as golf course fairways and parks.

#### LN3

The only liquid, controlled-release technology in the slow release category, LN3 is a nutrient-based urea triazone technology. LN3 is a cyclic compound which is chemically very stable, so a more predictable release can be expected when microbial activity breaks it down, compared to traditional methylated N sources.





Visit TurfNutritionTool.com to see how these nitrogen sources fit into your nutrition program.

# COMPLETE TURF HEALTH BEGINS WITH



The A+ Turf Health System integrates complete nutrition with an exclusive turf programming tool, all supported by patented technology and a performance guarantee.



# Foltec. HCU. UltraMate

Designed to complement soil-applied baseline nutrition, Foltec products provide a complete foliar nutrition package including N, P, K, secondary and minor elements and other essential bio-enhancements.

Humic Coated Urea (HCU) granules represent a sensible approach to nitrogen application, combining urea and humic acid in a 100% soluble granule.

UltraMate contains a combination of humic and fulvic acids which provide a variety of soil and plant health benefits. These carbon based organic acids allow plants to utilize applied N, P, and micronutrients more efficiently.



# Contec DG SmartPhas DG Genesis Rx

Roots and root hairs extend through the soil and soil solution to take up plant nutrients. Applications of Contec DG, Genesis Rx, and SmartPhos DG quickly disperse into the soil and maximize nutrient contact and uptake by roots. This enhances nutrient efficiency and provides flexibility in application rates.



# HumicDG<sup>™</sup> HumicDG<sup>™</sup> CharX<sup>™</sup> Black GypsumDG<sup>®</sup>

Turfgrass managers typically encounter both sand based/constructed growing systems and native soils. Humic DG, Humic DG CharX, and Black Gypsum DG are designed to improve soil structure, increase nutrient efficiency, and stimulate beneficial soil microbes. They are also effective in reducing the negative impact of soil sodium and salts often associated with poor quality irrigation water.




# BASELINE NUTRITION

An essential component in developing an effective nutrition plan to maintain healthy turf

# **MAXIMIZE**

by creating a turf nutrition plan







Baseline turf nutrition is considered to be a basic level of nutrition that helps the turf plant withstand the pressures of disease, insects, traffic, and stressful weather conditions. Granular nutrient applications ensure adequate levels of plant nutrition throughout the growing season.

Soil testing and plant tissue analysis are valuable tools that can be used to develop a turf nutrition plan.

Determining the correct amount and balance of nutrients is essential to turf health. Other factors to take into consideration are the turf type, the length of growing season, climatic conditions, and the amount of wear the turf is exposed to.

The timing and levels of turf nutrition depend on the type of turf being grown.

#### PRODUCT USE BASED ON SEASONAL GROWTH HABITS


#### COOL SEASON TURF

Cool season turf generally requires a higher percentage of its nutrition to be delivered in the spring and autumn, with moderate needs during the summer months. A Baseline Turf Nutrition Plan includes soilbased granular applications throughout the growing season. Foliar nutrition is then applied to complement granular baseline nutrition, especially during the summer, when turf can be under stress.

#### WARM SEASON TURF

Warm season turf generally requires a higher percentage of its nutrition to be delivered during the period of late spring through early autumn. A Baseline Turf Nutrition Plan includes soil-based granular applications throughout the growing season. Foliar nutrition is then applied to complement granular baseline nutrition.

HUMIC DG™, HUMIC DG CHARX®, BLACK GYPSUM DG®, ULTRAMATE® LQ, and ULTRAMATE SG can be used throughout the growing season to improve soil health and increase uptake and utilization of soil and applied nutrients.





#### **HUMIC SUBSTANCES**

Humates, or humic substances, are a naturally occurring, mined material. Like coal, humates occur as a result of the compression and degradation of nutrient-rich deposits of plant and animal remains. This produces a highly reactive, carbon-rich material that serves as a powerful addition to a turf management program.

Humates make up 60-80% of soil organic matter.1 This soil organic matter provides substantial benefit to both soil and plants, increasing nutrient holding capacity, water holding capacity, and stable aggregates.

We utilize the highest quality humates in a complete range of products designed to improve plant nutrient uptake, efficacy, and rooting capacity, which yields an increased tolerance to many environmental stressors (drought, temperature, traffic).

1.Brady, Nyle C, and Ray R Weil. The Nature and Properties of Soils. 14th ed., Pearson Education, 2008



HCU® 44-0-0 (HUMIC COATED UREA)

> Soluble Granules

**Dry or Spray Applied** 

2% Humic Acid (A&L Method)

**SGN 215** 



**HUMIC DG™** 

Dispersing Granules

**Dry Applied** 

70% Humic Acid (A&L Method)

SGN 75 or 240




**BLACK GYPSUM DG®** 


> Dispersing Granules

**Dry Applied** 

10% or 21% **Humic Acid** (A&L Method)

SGN 75 or 240





#### **HUMIC DG™ CHARX®**

Dispersing Granules

**Dry Applied** 

30% Humic Acid (A&L Method)

**SGN 200** 




#### **FERTILIZER + HUMIC BLENDS**

**Granules** 

**Dry Applied** 

**Humic Acid Varies** 

SGN 100-240



#### **ULTRAMATE® LQ**

Liquid

**Spray Applied** 

12% Humic Acid (A&L Method)



#### **ULTRAMATE® SG**

Soluble **Granules** 

**Spray Applied** 

70% Humic Acid (A&L Method)

**SGN 75** 

# WHY HUMIC ACID?

Humic acid is a natural soil conditioner, organic chelator, and microbial stimulator that provides the following benefits:

- · Supplies an oxidized, soluble carbon source, leading to improvement in long-term soil pH
- Enhances efficiency and availability of applied nutrients
- · Chelates soil micronutrients, increasing their availability
- Improves cation exchange capacity
- Enhances soil structure and biology
- · Reduces water requirements by increasing water holding capacity and enabling better water penetration in the soil

#### THE THREE HUMIC FRACTIONS

NATURALLY DERIVED BIO-ORGANIC CARBON SOURCES





Humates are composed of three major fractions; fulvic acids, humic acids, and humins. Each of these fractions has some similar and some unique physical and chemical properties that contribute to their effectiveness and complement fertilizer programs. Our products contain all three forms of humic substances, maximizing the product benefits.

FULVIC ACIDS are highly soluble and readily absorbed by leaves, making them well-suited for foliar application. Fulvic acids enhance the absorption of nutrients and the efficiency of plant metabolic reactions



**HUMIC ACIDS** are moderately soluble. They have a high cation exchange capacity (CEC), which helps increase a soil's nutrient holding capacity. Humic acid molecules chelate many essential nutrients and help stimulate soil microbiology.



**HUMINS** are the least soluble form of humic substances. They contain high levels of carbon and have large nutrient holding capacity. Humins persist in soils for very long periods of time.



In addition to the three humic fractions, humic products utilizing The Andersons Dispersing Granule (DG) Technology contain a unique and powerful ingredient we call humic acid precursor. HUMIC ACID PRECURSOR contains a soluble form of organic carbon that releases into the soil as DG granules disperse. Through biochemical reactions, it is transformed into humic and fulvic acids, enhancing nutrient uptake and improving soil health.

#### **HUMIC DG™ TURFGRASS QUALITY** IOWA STATE UNIVIERSITY | KENTUCKY BLUEGRASS Visual Turfgrass Quality (1-9) 9.0 8.5 8.0 7.5 7.0 6.5 6.0 5.5 5.0 Urea 0.5 Rate Urea 0.75 Rate Non-Treated Urea Full Rate + Humic DG + Humic DG Control 2019 2020

At Iowa State University, field trials were conducted to determine if reduced nitrogen (N) fertilizer rates coupled with humic substances could provide comparable turfgrass quality as compared to full N rates without humic substances. Full fertilizer rate was 1 lb N per M; reduced rates were relative to full rate. Four applications were made (April, May, Sept, Oct). Humic DG was applied at 0.9 lb product per M. ( $M = 1000 \text{ ft}^2$ ).

Treatments with reduced N rates and a humic component (Urea @ 0.75 + Humic DG, urea @ 0.50 + Humic DG) were similar in turfgrass quality and percent green cover to full N rate treatments (Urea @ 1.0).



This proprietary technology from The Andersons produces a cost-effective 44-0-0 nitrogen granule that is bonded with potassium humate. Clean, spherical, free flowing granules are 100% soluble for use in both liquid and dry applications. HCU granules can be applied to all types of cool and warm season turf, landscape and nursery ornamentals, and specialty crops.

SP	SPRAY APPLICATION RATES														
NITROGEN RATE	PROD	UCT	HUMIC ACID*	SUGGESTED MIN. SPRAY VOLUME											
N/1000 FT <sup>2</sup>	LBS./1000 FT <sup>2</sup>	LBS./ACRE	LBS./ACRE	GAL. / ACRE											
0.10	0.23	10	0.20	30											
0.25	0.57	25	0.50	40											
0.33	0.75	33	0.70	40											
0.50	1.14	50	1.00	40											
0.75	1.70	74	1.50	60											
1.00	2.27	99	2.00	80											

#### **BROADCAST APPLICATION RATES**

NITROGEN RATE	PROI	DUCT	HUMIC ACID*
N / 1000 FT <sup>2</sup>	LBS./1000 FT <sup>2</sup>	LBS./ACRE	LBS./ACRE
0.75	1.70	74	1.50
1.00	2.27	99	2.00
1.25	2.84	124	2.50
1.50	3.41	149	3.00

<sup>\*</sup>Equivalent to gallons/acre rate of 12% liquid humic acid.


#### SPRAY APPLICATION

HCU granules completely solubilize when added to water and can be spray applied at nitrogen rates of 0.10 - 1.00 lbs. N/1,000 ft<sup>2</sup>. To mix HCU granules for spray application, refer to the label for application rates, water volume, dilution, and mixing instructions. HCU granules can be mixed and added to the spray tank using industry standard practices including: pouring into the strainer basket at the top tank opening and running water over the granules to solubilize, preparing a bucket slurry mixture, adding granules through the spray tank inductor system, or preparing a solution in a mix batch tank system. The time required to solubilize HCU granules is reduced by using warm or hot water.

HCU granules are compatible with the most widely used control products for finely maintained cool and warm season turf. For peak product performance we recommend only tank mixing HCU with chelated iron (Fe) micronutrients such as Iron EDTA, HEDTA, etc. Mixing HCU with iron sulfate may potentially cause interaction issues within the tank mix. As always, we recommend a jar test prior to product mixing and application.

#### DRY SPREAD APPLICATION

Urea-humate fusion technology produces a clean, dry, dust-free, spherical HCU granule that is ideal for dry spread application. HCU granules can be applied through all types of granular spreading equipment including The Andersons Professional rotary spreaders, and larger scale broadcast spreaders such as Lely and Vicon models. Typical application rates range from 0.75 - 1.50 lbs N/1000 ft<sup>2</sup>.



At Iowa State University, field trials were conducted to determine if humic products could improve soil biological activity and allow for reducing nitrogen (N) rates without compromising turfgrass quality and performance.


The reduced N rate treatment was equal in turfgrass quality and percent green cover to full N HCU rates. The HCU full rate was equal to the HCU 2/3rd rate, and both were equal to full rate of Urea. This positions HCU as a cost-effective and nutrient load-reducing option for largearea, bentgrass fertility applications.

# Humic DG™ | 70% HUMIC ACID

Humic DG consists of a full spectrum of soil-nourishing humic substances including: fulvic acid, humic acid, humin, and humic acid precursor. Dispersing Granule (DG) Technology



creates a dust-free, dry particle that rapidly disperses into thousands of microparticles upon contact with moisture. The dust-free, rapidly-dispersing nature of Humic DG is in stark contrast to traditional screened humate products that are dusty and slower to break down.



# Black Gypsum DG® | 10% or 21% humic acid

It is common for turfgrass managers combating sodic soil conditions to utilize gypsum products to help leach sodium (Na+) from the rootzone and to improve soil structure. In past years, gypsum applications made with the anhydrate (CaSO<sub>4</sub>) form of calcium (one water molecule), could take weeks to become available for plant uptake. This prolonged uptake process severely limited a turfgrass manager's ability to jumpstart the soil remediation process.



The gypsum source in Black Gypsum DG is calcium sulfate dihydrate (CaSO<sub>4</sub>2H<sub>2</sub>0). With two extra water molecules, this version is more water soluble than its anhydrite counterpart (CaSO<sub>4</sub>). This improved solubility means that uptake into the turfgrass plant occurs much quicker. The dihydrate form of gypsum also provides increased application flexibility for year-round soil remediation versus standard anhydrate forms of gypsum.

- Utilizes The Andersons Dispersing Granule (DG) Technology
- Delivers humic acid in all forms (fulvic acid, humic acid, and humin)
- Provides humic substances containing carbon, giving soil microbes a food source and habitat, and allowing microbial populations to flourish
- · Allows essential macro and micronutrients in the soil to become more plant available
- Enhances the soil's ability to hold nutrients


# Humic DG CharX 30% HUMIC ACID

Humic DG CharX is a 50/50 blend of humic acid and biochar in a dust-free, spherical and dispersible granule. The Andersons Dispersible Granule (DG) technology provides



hundreds of thousands of small particles of humic acid and biochar after being exposed to water. The list of benefits that can be derived from using biochar is very similar to humic acid products like Humic DG. Both humic acid and biochar are reported to improve soil characteristics in the following capacities:

- Enhances nutrient efficiency, retention and cation exchange capacity
- Enhances soil structure, porosity and water holding capacity
- Reduces potential nutrient leaching in soils
- Aids in amending acidic soils, due to biochar's pH of 7.0
- Provides a habitat and carbon food source for soil microorganisms





# **HUMIC PRODUCTS**

Product	Humic Acid		Analys	is (%)			Use Rates			
(Legacy Product Code / New Product Code)	Content (A&L Method)					SGN	on Turf (per acre)	<b>Density</b> (lbs/ft³)	Pkg. Wt.	
HCU <sup>®</sup> 44-0-0 ASP44HCU5 / 10006117	2%	-	-	-	-	215	Spray: 0.10-1.00 Dry: 0.75-1.5	46.0	50 lb	
Humic DG™ ASPHUDGGRN4 / 10005964	70%	-	-	-	-	75	40 - 200 lbs	42.0	40 lb	
Humic DG™ ASPHUDG40.1 / 10005955	70%	-	-	-	-	240	40 - 200 lbs	43.0	40 lb	
Black Gypsum DG® ASPGY10HUDG5 / 10005921	10%	70.0	17.0	13.0	-	240	130 - 520 lbs	56.0	50 lb	
Black Gypsum DG® ASPGYHUGRN5 / 10005937	21%	48.0	12.0	8.9	-	75	130 - 520 lbs	49.0	50 lb	
Black Gypsum DG® ASPGYHUDG5 / 10005930	21%	48.0	12.0	8.9	-	240	130 - 520 lbs	49.0	50 lb	
Humic DG™ CharX® ASPBIOHU4 / 10003605	30%	-	-	-	-	200*	43 - 174 lbs	37.0	40 lb	
FERTILIZERS WITH H	IUMIC DG™									

#### FERTILIZERS WITH HUMIC DG

Product				Typical Ra	tes	Sou	rces			Other	Nutrier	nts (%)			Density	Pkg.
	Feature	SGN													(lbs/ft³)	Wt.
<b>5-10-10 + 25% Humic DG™</b> ASP5HUSPWM5 10006130	65% MUtech®, 25% Humic DG™, SmartPhos®	150	4.0 - 10.0	0.4 - 1.0 P, K	43 - 109	Smart- Phos	SOP	1.0	3.4	2.0	-	-	-	3.4	51.3	50 lb
<b>10-18-12 + 23%</b> <b>Humic DG™</b> ASP105HUWM5.40 10005765	50% MUtech®	100	4.0	0.72 P	40	MAP	SOP	0.5	-	0.05	0.05	0.05	-	4.1	50.9	50 lb
<b>13-0-3 + 11.5%</b> <b>Humic DG™</b> ASP133HU5.40 10005798	25% NS-54™ 52% Biosolids	240	4.0	0.52 N	20	-	SOP	1.0	-	-	-	-	1.6	3.7	48.8	50 lb
<b>16-0-8 + 19%</b> <b>Humic DG™</b> ASP16WHUFE5.40 10006040	50% MUtech®	150	4.68	0.75 N	38	-	SOP	2.0	-	-	-	-	-	-	57.4	50 lb
<b>22-0-8 + 25.2% Humic DG</b> <sup>TM</sup> ASP22WHU5.40 10005852	80% MUtech®-L	150	3.65	0.80 N	40	-	SOP	-	-	-	-	-	-	-	49.8	50 lb

#### FERTILIZERS WITH BLACK GYPSUM DG® & HCU®

Product				Typical Ra	tes	Sou	rces			Other	Nutrier	its (%)				
(Legacy Product Code / New Product Code)	Feature	SGN	Products Lbs/M			Р									<b>Density</b> (lbs/ft³)	Pkg. Wt.
22-0-4 with 50% HCU* + 43% Black Gypsum DG* ASP22HCUBG5.1 10005848	50% of N from HCU 43% Black Gypsum DG	240	4.0	0.88 N	74	-	SOP	-	-	-	-	-	7.2	6.9	49.3	50 lb
9-12-6 with 37% HCU* + 36% Black Gypsum DG* and SmartPhos* P	37% of N from HCU 36% Black Gypsum DG	240	4.0	0.48 P	63	MAP/ Stru- vite	SOP	1.0	2.0	-	-	-	6.1	6.7	54.6	50 lb

#### **HUMIC LIQUID & SOLUBLE GRANULES**

Product	Humic Acid		Analys	sis (%)			Use Rates	
(Legacy Product Code / New Product Code)	Content (A&L Method)					SGN	on Turf (per acre)	Pkg. Wt.
<b>UltraMate® LQ</b> AG14010W / 10000990	12%	-	-	1.0	2.0	N/A	1 - 1.5 gal	2 x 2.5 gal case
UltraMate® SG ULTRAMATE SG.1 / 10001179	70%	-	-	6.0	14.0	75	1.5 - 2.0 lbs	30 lb



# **HIGH-PERFORMANCE TURF NUTRITION**

The Andersons advanced granule technologies provide a complete approach to efficient granular and sprayable turf nutrition and plant health.

DG (Dispersible Granule) products quickly disperse into thousands of micro particles upon contact with water. This provides a more efficient nutrient application because DG particles move quickly through the turf canopy and into the root zone where they can be taken up by the plant. With DG technology you can be assured of optimized turf nutrition and improved playing conditions. The Andersons provides a wide range of DG nutrition products that include Contec DG®, SmartPhos® DG, Genesis Rx® and Genesis Rx Zeolite+.

Foltec® SG is innovative foliar technology that provides complete foliar turf nutrition and eliminates the need for complex tank mixes. Each Foltec SG product is a combination of dry soluble granules that contain N-P-K and chelated micronutrients along with UltraMate® SG (potassium humate) and sea plant extract for increased nutrient efficiency and maximum health benefits. Foltec SG is packaged in easy-to-use, resealable, foil-lined bags.



#### **CONTEC DG®**

Dispersible Granules

**Dry Applied** 

Over 20 different formulations

SGN 75-150



#### SMARTPHOS® DG


Dispersible Granules

**Dry Applied** 

Slow release phosphorus

SGN 75-240







#### **GENESIS RX®**

Dispersible Granules

**Dry Applied** 

5-7-5 + secondary and micronutrients and Humic DG

**SGN 100** 



#### **GENESIS RX® ZEOLITE+**

Dispersible/ **Sized Granules** 

**Dry Applied** 

3-4-3 + Humic DG™, Zeolite and beneficial microorganisms

**SGN 100** 



#### **FOLTEC® SG**

**Soluble Granules** 

**Spray Applied** 

N-P-K, chelated micros, UltraMate® SG and seaplant extract

Convenient, easy to use packaging



#### **FOLTEC® LQ**

Liquid

**Spray Applied** 

N-P-K, amino acids, sea plant extracts and micronutrients





The combination of Contec DG<sup>®</sup> - Gen 3 dispersing granules and Foltec<sup>®</sup> SG soluble granules provides ideal premium nutrition for greens, tees, sports turf, and other fine turf. With that in mind, we created our High-Performance Greens Nutrition Programs, making it easy to visualize and build a properlybalanced, season-long program.

#### **CONTEC DG - GENERATION 3**

Gen 3 represents the latest evolution of the Contec DG product range. Featured on select products, these granules are easy to spread and easy to see, saving turf managers both time and money. Gen 3 granules are completely homogeneous, allowing for a consistent spread pattern. The granules also stand out against turf, making it easy to see where product has been applied, decreasing the possibility of over-application.

Available Gen 3 Grades: 18-9-18, 17-0-17, 6-0-12, 12-3-12 For more information on Contec DG, see page 20.

#### **FOLTEC SG**

Foltec SG is an innovative foliar nutrient technology utilizing a proprietary combination of dry, 100% soluble nutrient granules that quickly solubilize in the spray tank. Each Foltec SG product contains a specific N-P-K ratio along with essential micronutrients, UltraMate® SG (humate/carbon) and sea plant extract. Packaged in resealable, foil-lined bags with easy-open tear strips to save time and effort, Foltec SG truly allows you to spray smarter.

For more information on Foltec SG, see page 26.





Combining HCU® and Foltec® SG Minors creates an ideal tank mix of nitrogen, humic acid, and minor elements and delivers exceptional performance with strong economics in use.

#### **HCU - HUMIC COATED UREA**

HCU granules represent a sensible approach to nitrogen application, combining urea and humic acid in a 100% soluble granule. While providing equal or better performance than leading stabilized nitrogen products, HCU granules also offer strong economics in use.

For more information on HCU, see page 13.

#### **FOLTEC SG MINORS**

Foltec SG Minors is a proprietary combination of dry, 100% soluble granules that contains selected secondary and minor elements, along with sea plant extract and humate. With easyto-understand coverage and application rates, Foltec SG truly allows you to spray smarter.

For more information on Foltec SG, see page 26.



# Contec Patented. Proven. Guaranteed.

Contec DG combines premium turf nutrients and our patented Dispersing Granule Technology into a homogenous granule designed to optimize granular applied turf nutrition.

#### INTRODUCING CONTEC DG GENERATION 3

#### **EASY TO SPREAD. EASY TO SEE.**

Gen 3 represents the latest evolution of the Contec DG product range. Gen 3 granules are easy to spread and easy to see, saving turf managers both time and money. Gen 3 granules are dust free and completely homogeneous, allowing for a consistent spread pattern. The granules also stand out against turf, making it easy to see where

product has been applied and decreasing the possibility of over-application. Gen 3 products feature the same patented Dispersing Granule (DG) Technology found in all Contec DG products, which allows for a firmer. residue-free playing surface with less downtime.

#### THE EVOLUTION

For more than a decade, Contec DG has been the industry leader in dryapplied greens and tees nutrition. Over that same period, we have worked to continually refine the product, advancing formulations, color and physical characteristics. Gen 3 Technology represents the finest granular product we have ever produced, designed to provide the highest-quality nutrition and the most efficient user experience.



#### A MORE EFFICIENT USER EXPERIENCE

- · Lighter in color, Contec DG is easy to see and spread
- Allows for a consistent spread pattern
- Makes it easy to see where product has been applied
- Decreases over-application
- · Saves time and money







Gen 3 Technology is featured on select Contec DG greens and fairways products: 17-0-17, 18-9-18, 28-0-6, 6-0-12, and 12-3-12.



#### ENHANCED NUTRIENT DISTRIBUTION

#### PATENTED DISPERSING GRANULE TECHNOLOGY

Upon contact with water, each granule disperses into thousands of micro particles that quickly move through the turf canopy into the root zone.



#### IMPROVED PLAYING CONDITIONS

#### **LESS INTERRUPTION OF PLAY**

Contec DG requires less watering to disperse the nutrient granules, allowing for less downtime and a drier and firmer playing surface.

#### **NO STICKY RESIDUE**

Contec DG melts into the turf canopy. The result is no sticky fertilizer residue which can accumulate on shoes, balls, and equipment.

#### **OPTIMIZED NUTRITION**

Contec DG is designed to optimize granular turf nutrition by combining premium nutrients with our Dispersing Granule Technology, minimizing mower pickup and delivering more fertility for the plant.



#### AGRONOMIC ADVANTAGES

#### **DISPERSIBILITY**

Because Contec DG is homogenous and disperses into thousands of micro particles, turf managers have the ability to apply Contec DG at low rates and still get complete nutrient coverage without speckling.

#### **FORMULATIONS**

With over twenty different formulations, Contec DG is designed to meet a wide variety of turf and soil conditions. Refer to the Product/Temperature Use Guide on page 15 for optimum temperatures for applications of Contec DG products.

#### **ZERO NITROGEN PRODUCTS**

There are times when a turf manager may need specialty nutrient applications that do not contain nitrogen. The following Contec DG products have been designed with this in mind: Mag-tec<sup>™</sup> 0-0-12. Kal-tec<sup>®</sup> 0-0-13. and 0-0-25.

#### **NUTRIENT SOURCES**


Contec DG is formulated using the safest and highest quality nutrient sources.

- Contec DG products have variable amounts of slow and quick release nitrogen, depending on the formulation.
- Phosphorus, potassium, calcium, and magnesium sources are found in the Contec DG product list.
- Micronutrients are sulfate based for quick and efficient nutrient response.

#### THE CARBON COMPONENT OF CONTEC DG

#### **HOW DOES HUMIC ACID PRECURSOR WORK?**

Humic acid precursor contains a soluble form of organic carbon which releases into the soil as Contec DG granules disperse. Through biochemical reactions in the soil, humic acid precursor is transformed into humic and fulvic acids which help chelate nutrients in the soil. The optimum rate of humic acid precursor is applied when Contec DG is applied at label rates.



## **GRANULAR NUTRITION**

#### **CONTEC DG®**

	nalysis	_	Туріс	al Rates	N C	ompo	sition	(%)	Soul	rces		O	ther N	Nutrie	nts (%	5)		Bio-E	Enhance	ments	
Co Ne		Description																			Pkg. Wt.
s	GN 75																				
	<b>0-0-12 Mag-tec™</b> CDGK12M4.1 10006238	24% Mg	4.2 - 8.4	0.5 - 1.0 K	-	-	-	-	-	K-Mag	-	24.0	-	-	-	-	12.0			•	40 lb
	<b>0-0-13 Kal-tec®</b> CDGK13M4 10006242	9.2% Ca	3.8 - 7.6	0.5 - 1.0 K	-	-	-	-	-	SOP K-Mag	-	2.0	1.5	-	-	9.2	14.9	•		•	40 lb
	<b>0-0-25</b> CDGK25M4.1 10006244	Mn, Mg, L-amino acids	2.0 - 4.0	0.5 - 1.0 K	-	-	-	-	-	SOP K-Mag	-	4.0	3.0	-	-	-	13.7	•		•	40 lb
	<b>5-5-20</b> CDG54HUWM5 10006226	93% MUtech®, 3.4% Humic Acid	2.5 - 6.25	0.5 - 1.25 K	1.75	0.48	1.14	1.63	MAP	SOP K-Mag	-	2.30	1.2	-	-	-	10.7		•	•	50 lb
(	<b>6-0-12</b> CDG6M40.1 10006228	Mn, Mg <b>GEN 3</b>	2.1 - 4.2	0.25 - 0.5 K	6.0	-	-	-	-	SOP K-Mag	-	2.0	5.0	-	-	-	13.5			•	40 lb
(	<b>7-14-14</b> CDG72WM4 10006230	30% MUtech®	3.6 - 7.2	0.5 - 1.0 P, K	4.9	0.3	0.8	1.1	MAP	SOP K-Mag	-	2.0	-	-	-	-	9.9			•	40 lb
	<b>9-0-18</b> CDG95WM4 10006232	65% MUtech®	2.8 - 5.6	0.5 - 1.0 K	3.2	0.9	2.1	2.9	-	SOP	0.3	-	6.0	-	-	-	6.1			•	40 lb
	<b>9-4-9</b> CDG9W4 10006234	50% MUtech®	2.8 - 11.2	0.25 - 1.0 N, K	4.2	0.7	1.8	2.4	Bone Meal	SOP	-	-	-	-	-	4.3	7.8	•	•	•	40 lb
	<b>10-5-20</b> CDG105WM4 10006189	50% MUtech®	2.5 - 5.0	0.5 - 1.0 K	5.0	0.8	1.8	2.5	MAP	SOP K-Mag	0.3	0.5	0.5	-	-	-	12.0			•	40 lb
	<b>11-8-9</b> CDG11WM4 10006191	43% MUtech® 1.25% Humic Acid	2.3 - 9.1	0.25 - 1.0 N	6.3	0.42	1.78	2.5	Struvite	SOP	0.2	2.8	0.2	-	-	-	8.7		•	•	40 lb
(	<b>12-3-12</b> CDG12M40 10006196	L-amino acids GEN 3	4.2 - 8.4	0.5 - 1.0 N, K	12.0	-	-	-	MAP	SOP	0.3	-	0.5	-	-	-	17.0	•		•	40 lb
(	<b>12-24-8</b> CDG126WM4.2 10006195	50% MUtech®	2.1 - 4.2	0.5 - 1.0 P	6.0	0.9	2.1	3.0	MAP	SOP	0.3	-	0.5	-	-	-	4.1			•	40 lb
	<b>13-0-26</b> CDG131W4.1 10006198	100% MUtech®	1.9 - 3.8	0.5 - 1.0 K	-	2.0	4.6	6.5	-	SOP	-	-	-	-	-	-	8.8			•	40 lb
(	<b>14-7-14</b> CDG141WM4 10006199	60% MUtech®	3.6 - 7.2	0.5 - 1.0 N, K	5.6	1.3	2.9	4.2	MAP	SOP	0.3	-	0.1	-	-	-	9.6			•	40 lb
	<b>15-0-15</b> CDG157WM4 10006201	50% MUtech®	3.3 - 6.6	0.5 - 1.0 N, K	7.5	1.1	2.6	3.8	-	SOP	0.3	-	0.3	-	-	-	13.7			•	40 lb
	<b>17-0-17</b> CDG178WM40 10006203	50% MUtech® GEN 3	2.9 - 5.8	0.5 - 1.0 N, K	5.3	4.5	3.0	4.2	-	SOP	0.5		0.25	-	-	-	11.8			•	40 lb
	<b>18-0-5</b> CDG1813WM4 10006206	75% MUtech®	2.8 - 5.6	0.5 - 1.0 N	4.5	2.0	4.7	6.8	-	SOP	-	-	7.0	-	-	-	6.8			•	40 lb
- 0	<b>18-0-18</b> CDG1811WM4 10006204	60% MUtech®	2.8 - 5.6	0.5 - 1.0 N, K	3.6	5.3	3.8	5.4	-	SOP	0.3	-	0.1	-	-	0	10.2			•	40 lb
	<b>18-3-18</b> CDG1816W4 10006208	93% MUtech®	2.8 - 5.6	0.5 - 1.0 N, K	1.3	2.5	5.9	8.4	MAP	SOP	-	-	-	-	-	-	6.9			•	40 lb
(	<b>18-9-18</b> CDG181WM40 10006210	60% MUtech® GEN 3	2.8 - 5.6	0.5 - 1.0 N, K	4.2	4.7	3.8	5.4	MAP	SOP	0.3	-	0.1	-	-	-	8.6			•	40 lb
	<b>19-0-15</b> CDG1919WM4.2 10006214	100% MUtech® + micros	2.6 - 5.2	0.5 - 1.0 N	-	2.3	6.9	9.9	-	SOP K-Mag	0.5	1.0	.05	.05	.05	-	6.6			•	40 lb

#### **GRANULAR NUTRITION**

Analysi			Туріс	al Rates	N C	ompo	sition	(%)	Sou	rces		c	other I	Nutrie	nts (%	6)		Bio-E	Enhance	ments	
		Description	Products Lbs/M	Nutrients Lbs/M	Amm N	Urea N	WIN	WSN	Р	K	Fe	Mg	Mn	Cu	Zn	Ca	S	Amino Acids	Humic Acid	Humic Acid Precursor	Pkg. Wt.
SPEC	IALTY	FERTILIZER:	s & SOIL	AMENDM	ENTS	5															
5-7-5 Genes ASP5HU 1000612	sis Rx® JM5.1	49% MUtech®, 21.5% Humic DG™ SGN 75	5.0 - 30.0	0.25 - 1.5 N, K	1.86	1.05	0.86	1.23	Struvite /MAP	SOP	0.9	3.1	0.5	0.01	0.01	3.5	6.4		•	•	50 lb
3-4-3 Genes Zeolit ASP3HU 1000610	sis Rx® e+ JWZ5	50% MUtech®, 10.8% Humic DG™ 50% Zeolite SGN 75	10.0 - 20.0	0.4 - 0.8 P	1.08	0.64	0.53	0.75	Struvite /MAP	SOP	0.45	1.7	0.24	-	-	1.0	2.8		•	•	50 lb
	Phos® DG PMGDG4	8% Mg SGN 75	2.3 - 7.0	0.5 - 1.5 P	4.0	-	-	-	Struvite	-	-	8.0	-	-	-	-	-			•	40 lb
5-10- ASP5HU 1000613	JSPWM5	65% MUtech*, 25% Humic DG™, SmartPhos*, SGN 150	4.0 - 10.0	0.4 - 1.0 P,K	1.72	0.51	1.14	1.63	Smart- Phos	SOP	1.0	3.4	2.0	-	-	-	3.4		•	•	50 lb
	<b>/psum™</b> GYP50.40 44	SGN 75	6.0 - 25.0	-	-	-	-	-	-	-	-	-	-	-	-	21.0	16.0			•	50 lb
DG Lin AGCDG 1000494	LIME5.40	SGN 100	2.0 - 20.0	-	-	-	-	-	-	-	-	4.0	-	-	-	30.0	-			•	50 lb
SGN 1	50																				
<b>18-24</b> CDG186 100062	5W5	35% MUtech®	2.1 - 4.2	0.5 - 1.0 P	4.8	7.8	2.2	3.2	MAP	SOP	-	-	-	-	-	-	1.7			•	50 lb
<b>20-0</b> CDG20 100062	2W5	100% MUtech®-M	2.5 - 6.3	0.5 - 1.25 N	-	2.8	9.1	8.1	-	SOP	-	-	-	-	-	-	5.4			•	50 lb
<b>24-0</b> CDG24 100062	24W5.1	90% MUtech®-L	3.1 - 8.4	0.75 - 2.0 N	2.4	1.9	12.9	6.8	-	SOP	-	-	-	-	-	-	6.2			•	50 lb
<b>28-0</b> CDG28 100062	5W50	59% MUtech® <b>GEN 3</b>	1.8 - 5.4	0.5 - 1.5 N	7.6	6.0	6.9	7.5	-	SOP	-	-	-	-	-	-	10.7			•	50 lb
SGN 1	50 - C	OMBINATIO	N PROD	JCTS (CON	ITAII	NS P	ESTI	CID	Ε)												
24-0 +0.10 Dimer AGC2424 10005131	03 nsion*	90% MUtech*-L 0.103% Dimension Herbicide	2.8 - 8.4	0.67 - 2.0 N	2.4	1.9	12.9	6.8	-	SOP	-	-	-	-	-	-	6.2			•	40 lb



Applying fertilizer before, during, and after mechanical aerification all provide unique options for ensuring your turf recovers quickly. The Andersons has designed a line of Genesis Rx products that help determine the right fertility approach for your aerification program. See page 25 for Aerification Basics with Genesis Rx.

**Genesis Rx 5-7-5** is a comprehensive fertility and soil amendment product specifically designed for:

**AERIFICATION** RENOVATION SODDING

CONSTRUCTION **SPRIGGING SEEDING** 

Genesis Rx Zeolite+ 3-4-3 is a comprehensive fertility and soil amendment product specifically designed for:

**AERIFICATION** RENOVATION

**CONSTRUCTION SEEDING** 

PRODUCT/TEMPERATURE **USE GUIDE** 

**Warm** > 80°F/27°C

Moderate > 50°F/10°C

**Cool** < 50°F/10°C

Moderate All temps

# **PREMIUM AERIFICATION PRODUCTS**

# **GenesisR**<sup>\*</sup> 5-7-5

Genesis Rx 5-7-5 is an all-in-one fertility and soil amendment product for easy application in conjunction with aerification. This product is a high-quality NPK fertility blend containing secondary and minor elements and utilizing our patented Dispersing Granule (DG) Technology. This unmatched combination provides turfgrass with the nutrition needed for recovery from aerification stress, along with sustained feeding. We further value engineered this product by adding 21.5% Humic DG™ (by weight) in the bag to deliver soil microorganisms the carbon-rich food source they desire.

#### **APPLICATION**

Genesis Rx is recommended for application following your normal aerification program. Typical application rates range from 5-20 pounds of product per 1000 ft2. Product may be broadcast applied and placed into aerification holes via drag mat or broadcast applied in conjunction with sand topdressing. For complete application instructions, consult product label.


# Genesis R Zeolite+ 3-4-3

Genesis Rx® Zeolite+ 3-4-3 is a 50/50 physical blend of Genesis Rx 5-7-5 and zeolite granules with beneficial microorganisms. Genesis Rx Zeolite+ delivers balanced NPK, secondary and minor element fertility, soil enriching humic acid, zeolite granules and beneficial microorganisms all in one easy-to-apply product. This unique combination provides turfgrass with the nutrition necessary to recover from aerification. We further value engineered this product by adding in zeolite, humic acid, and a beneficial microorganism package. Zeolite which is a natural mined material has a high CEC, high porosity and excellent water retention capabilities. Humic acid is a naturally occurring substance that provides soil microorganism the carbon-rich food source they desire. Additionally, we have added a full spectrum of more than 2 dozen beneficial soil microorganisms.

#### **APPLICATION**

Genesis Rx Zeolite+ is recommended for application following aerification as a standard top-dress treatment. Typical application rates range from 10-30 pounds of product per 1000 ft<sup>2</sup>. This product may be broadcast applied in conjunction with sand topdressing. For complete application instructions, consult product label.


#### SIMPLIFY AERIFICATION **FERTILITY WITH GENESIS RX**





Get your Aerification Fertility Guide at AndersonsPlantNutrient.com/Aerification

#### **TURFGRASS RESPONSE TO GENESIS RX® 5-7-5 AND GENESIS RX ZEOLITE+ 3-4-3**



In this example, 10.0 lbs of Genesis Rx 5-7-5 were applied at Week 1 then 10.0 lbs of Genesis Rx Zeolite+ 3-4-3 were applied at Week 3.





## **Humic DG**<sup>™</sup> CharX<sup>®</sup>

Humic DG CharX harnesses the power of humic acid and biochar in a 50/50 blend, providing the benefits of the more quickly-available humic acid and the long-term soil building qualities of biochar. This product is designed to enhance the efficiency of applied nutrients while improving soil moisture retention. Along with carbon, biochar also contains karrikins, a family of bioactive compounds that stimulate root growth. DG Technology improves coverage and enhances the efficiency of recovery efforts.

#### **APPLICATION**

Humic DG CharX is recommended for application after aerification as a stand-alone topdress treatment or incorporated with topdressing sand or fertilizer applications. Apply 1-2 lbs per 1,000 ft² per application, up to 4.5 lbs per 1,000 ft² per year. For complete application instructions, consult product label.

## Humic DG<sup>M</sup>

Humic DG is a powerful humic acid-based soil amendment perfect for application following aerification or other intensive maintenance practices. Its patented dispersing granules are the perfect counterpart for sand topdressing or in conjunction with other premium aerification products such as Genesis Rx 5-7-5. Humic DG contains all three humic fractions: fulvic acid, humic acid and humins. Humic DG also contains 10% humic acid precursor, a plant-based carbon source which aids in stress recovery.

Humic acid is a natural soil conditioner, organic chelator, and microbial stimulator that provides the following benefits:

- Supplies an oxidized, soluble carbon source, leading to improvement in long-term soil pH
- Enhances efficiency of applied nutrients and increases availability of soil phosphorus
- Retains soil moisture and enables better water penetration in the soil, resulting in reduced water requirement
- · Chelates soil micronutrients, increasing their availability

#### **APPLICATION**

Humic DG is recommended for application after aerification as a top-dress treatment. Typical application rates range from 1-2 lbs. of product per 1000 ft² and can be mixed directly in with sand for easy application. For complete application instructions, consult product label.

# Black Gypsum DG

Black Gypsum DG 21% is a unique soil amendment containing gypsum and humic acid in a homogenous dispersible granule. In past years, gypsum applications made with the anhydrite (CaSO<sub>4</sub>) form of calcium (one water molecule) could take weeks to become available for plant uptake. This prolonged uptake process severely limited a turfgrass manager's ability to jumpstart the soil remediation process. The gypsum source in Black Gypsum DG 21% is calcium sulfate dihydrite (CaSO<sub>4</sub>2H<sub>2</sub>O). With two extra water molecules, this form is more water soluble than the anhydrite form (CaSO<sub>4</sub>). This improved solubility means that uptake into the turfgrass plant occurs much quicker. The dihydrite form of gypsum also provides increased application flexibility for year-round soil remediation versus standard anhydrite forms of gypsum.

#### **APPLICATION**

Black Gypsum DG 21% is recommended for application after aerification as a top-dress treatment. The product is typically applied at 6 lbs. per 1000 ft<sup>2</sup> and can be mixed directly in with sand for easy application. For complete application instructions, consult product label.

# DG Lime™ DG Gypsum™

DG Lime and DG Gypsum are premium specialty soil amendments. DG Lime provides plant-essential calcium and magnesium while increasing soil pH. In addition to calcium, DG Gypsum also provides sulfur, which stimulates soil microbiology while reducing soil pH. Both products feature Dispersing Granule Technology, which ensures quick breakdown of the granules with no residual left behind for potential mower pickup.

#### **APPLICATION**

DG Lime and DG Gypsum are recommended for application after aerification as a top-dress treatment. Typical application rates range from 25-40 lbs. per 1000 ft<sup>2</sup> and can be mixed directly in with sand for easy application. For complete application instructions, consult product labels.





## DIFFERENT BY DESIGN

SOLUBLE. SENSIBLE. SUPERB.







# SOLUBLE

Foltec SG is an innovative foliar nutrient technology from The Andersons. Designed to be different, Foltec SG will change the way superintendents and turf managers think about complex foliar nutrition programs. Unlike industry standard liquid fertilizers consisting of numerous formulations and packaged in cumbersome plastic jugs, Foltec SG is a proprietary combination of dry Soluble Granules (SG) that quickly solubilize in the spray tank. This combination of soluble granules creates a complete nutrition product that reduces the need for a complex tank mix using a wide variety of products. Each Foltec SG product contains a specific N-P-K ratio along with essential micronutrients, UltraMate® SG, and sea plant extract.

Foltec SG is available in four formulations which have been shown to fit the parameters of a typical foliar-applied fertility program and include High N, High P, High K, and High N and K formulations.

#### **APPLICATION**

Foltec SG can be introduced into the spray tank through an inductor, or by removing the basket strainer and pouring Foltec SG directly into the spray tank, with adequate water and agitation. In field testing with self-contained spray rigs with typical agitation, Foltec SG solubilized quickly and thoroughly. Foltec SG products have also been shown to be compatible with many commonly used control products.



#### FOLIAR NUTRITION | SOLUBLE GRANULES

#### WHY PAY FOR WATER?

We are changing the way turf managers think about complex foliar nutrition programs with complete soluble granule nutrition, transportation and storage benefits, and easy-to-understand coverage and application rates.



Shipping Foltec SG's dry, 100% soluble granules saves on transportation costs compared to heavier, liquid products.



Foltec SG's thin, lightweight packaging eliminates the need to stockpile a collection of plastic jugs slated for the landfill.



Dry product removes the potential for freezing, as Foltec SG does not become liquid until it is ready to be used.



Foltec SG's resealable, foil-lined bags eliminate the need to triple-rinse plastic jugs in preparation for disposal.



# SUPERB

#### N-P-K

Foltec SG is formulated in some of the most widely used agronomic N-P-K ratios: High N (24-0-8), High P (8-24-8), High K (8-0-24), and High N and K (16-0-16). These formulas can be easily combined to create your preferred N-P-K ratio.

#### **MICRONUTRIENTS**

Foltec SG utilizes chelated micronutrients in a proven ratio that maximizes availability, efficacy, and performance.

#### **ULTRAMATE® SG**

UltraMate SG is The Andersons exclusive formulation of soluble sulfonated potassium humate which provides an oxidized source of carbon. UltraMate SG contains a combination of fulvic and humic acids which allows plants to utilize applied nutrients more effectively and efficiently. UltraMate SG also provides a wide range of soil benefits which include chelation of nutrients and increased uptake of soil N and P.

#### SEA PLANT EXTRACT

Foltec SG contains sea plant extracts derived from the most biologically active sea plant species in the world. They contain a complex array of organic and mineral compounds which include vitamins, sugars, enzymes, and proteins that combine to promote improved wear and drought tolerance. Foltec SG N-P-K formulations utilize the proven 3:1 ratio of humic acid to sea plant extract for maximum plant health benefits based on research conducted at Virginia Tech University.1

#### COMPATIBILITY

Replicated bench studies with Foltec SG formulations show excellent compatibility with the most widely used control products for finely maintained bentgrass and bermudagrass turf. For more details, please visit FoltecSG.com.

1. Zhang, Xunzhong, and E. H. Ervin. "Cytokinin-Containing Seaweed and Humic Acid Extracts Associated with Creeping Bentgrass Leaf Cytokinins and Drought Resistance." Cron Science 44 5 (2004)




#### **FOLIAR NUTRITION | SOLUBLE GRANULES**

#### **REAL WORLD PERFORMANCE**

Foltec SG has been developed and field tested to ensure maximum solubility and superb agronomic performance. Replicated testing at Michigan State University and the University of Arkansas confirms excellent performance on ultradwarf varieties of bentgrass and bermudagrass. When compared to a leading competitor's program, treatments that included Foltec SG had superior quality and color. Through this testing it was determined that Foltec SG provided exceptional greening of the turf canopy within a very short period of time following application. This quick green up surpassed the performance of the leading competitor and impressed the researchers at both universities. The results of the studies at Michigan State University and the University of Arkansas are shown below. For more specific information on field testing, please visit FoltecSG.com.



## **MICHIGAN STATE UNIVERSITY** AVERAGE TURF COLOR - T1 BENTGRASS 9.0 Color Rating via Digital Image Analysis (1-9) 8.5 8.0 7.0 6.5 Foltec SG + Foltec Minors Leading Competitor >> The decrease in color observed in late August through mid-September was due to high dollar



#### **FOLTEC® SG**

Product (Legacy Product Code /	lbs of	<b>Delivers</b> f nutrient p			Othe	r Nutrient	s (%)		UltraMate® SG	Sea Plant Extract	Package	Case	
	N	Р	K	Mg	Fe	Mn	Cu	Zn	lbs/acre	lbs/acre			
RATES AND COVERAGE													
Foltec® SG 24-0-8 ASP24FSG3X13 / 10005879	0.075	0.000	0.025	0.0	1.0	0.5	0.07	O.1	0.5	0.16	13.6 lbs	3 x 13.6 lbs	
Foltec® SG 8-0-24 ASPK8FSG6X6 / 10006263	0.025	0.000	0.075	0.5	1.0	0.5	0.07	0.07	0.5	0.16	6.8 lbs	6 x 6.8 lbs	
Foltec® SG 8-24-8 ASP8FSG3X13 / 10006167	0.025	0.075	0.025	0.5	1.0	0.5	0.07	0.07	0.25	0.16	13.6 lbs	3 x 13.6 lbs	
Foltec® SG 16-0-16 ASP16FSG3X13 / 10006031	0.05	0.000	0.05	0.5	1.0	0.5	0.07	0.07	0.5	0.16	13.6 lbs	3 x 13.6 lbs	
Foltec® SG Minors ASPFSGMINOR10X2 10005914	-	-	-	3.0	4.7	3.5	0.15	0.34	0.028	0.028	2.25 lbs	10 x 2.25 lbs	

#### SUGGESTED PRODUCT COMBINATIONS

Blend Name	Product Combinations	lbs	<b>Delivers</b> of nutrient pe		<b>UltraMate* SG</b> Ibs/acre	Sea Plant Extract	Package 13.6 lbs
					ibs/acre	lbs/acre	13.0 105
<b>Turf Foundation</b>	24-0-8 & 8-0-24	0.100	0.000	0.100	1.0	0.32	1 each formula/acre
Aerification	24-0-8, 8-0-24, & 8-24-8	0.125	0.075	0.125	1.25	0.48	1 each formula/acre



Foltec LQ Ultra is a foliar feeding nutritional line derived from the highest quality ingredients intended for use on premium cut turfgrass. Foltec LQ Ultra formulations are designed to boost turf pre-stress conditioning and improve overall nutrient efficiency. Select formulations contain value added ingredients including: amino acids, sea plant extracts and micronutrients.

#### **FOLTEC LQ ULTRA MINORS**

#### **POWERED BY KEYPLEX®**

**FOLTEC® LQ** 

KeyPlex is more than a minor element package. KeyPlex provides a complex of essential plant nutrients and bio-enhancements and utilizes the most efficient delivery system to supply them.



#### **INTRODUCING SEATHRU®**

Unlike other sea plant extracts, which can bring foul odors and lack solubility, SeaThru clear sea plant extract delivers a highly-soluble formulation without the unwelcome smells. Featured in select Foltec LQ formulations, SeaThru has been shown to improve root growth, soil microbial activity, stress tolerance, and overall plant quality.



This professional grade line of liquid fertilizers contains several time-proven formulations in its lineup. Foltec LQ Classics provide a complete foliar feeding and can be used in a variety of different green settings including: lawn care, sports turf, nursery, and specialty crops.

Product (Legacy Product Code / New Product Code)	Cool Season Turf fl oz/M sq ft	Warm Season Turf fl oz/M sq ft	Ca		<b>Ot</b> Fe	t <b>her Nut</b> Mn	r <b>ients (</b> Zn	<b>%)</b> Cu			pН	Lbs/Gal	Bio-Enhancements
FOLTEC LQ ULTRA	- 2 x 2.5 gal ca	ses											
<b>6-0-0 (Hi-Cal)</b> ASP6M2X25 / 10003672	3 - 6	4 - 8	6.0	-	0.5	0.5	-	-	-	0.3	3.0	10.8	Seaplant Extract
6-0-0 (Hi-Mg, Mn) ASP6MAG2X25 / 10004700	3 - 4	4 - 8	-	2.0	-	5.0	-	-	-	-	3.5	10.4	SeaThru® (Kelp)
<b>6-12-6</b> ASP6MICROS2X25 / 10004753	3 - 4	4 - 8	-	-	-	0.65	0.15	0.10	0.05	-	6.0	10.7	SeaThru® (Kelp)
<b>0-0-27</b> ASPKPH272X25 / 10003587	1 - 5	1 - 5	-	-	-	-	-	-	-	-	8.0	12.3	-
<b>29-2-3</b> ASP2922X25 / 10003673	2 - 8	2 - 8	-	-	-	-	-	-	-	-	11.0	11.0	-
Minors APTMICRO2X25 / 10000973 POWERED BY KEYPLEX*	0.73 - 1.47	0.73 - 1.47	-	1.5	3.5	0.75	0.75	-	0.16	-	5.0	11.2	Humic and Alpha-Keta Acids
SeaThru® with Fulvic Acid ASPSEAFUL2X25 / 10004714	3 - 4	4 - 8	-	-	-	-	-	-	-	-	4.0	8.4	SeaThru® (Kelp)
FOLTEC LQ CLASS	SIC - 2 x 2.5 gal	cases											
<b>12-2-10</b> ASP123M2X25 / 10003670	6 - 12	8 - 12	-	-	0.1	0.05	0.05	0.05	-	-	7.8	10.27	-
<b>12-0-0</b> ASP12M2X25 / 10003680	6 - 12	8 - 12	-	-	6.0	2.0	-	-	-	-	2.8	11.7	-
<b>14-0-3</b> ASP142X25 / 10003671	6 - 12	8 - 12	-	-	-	-	-	-	-	-	9.5	9.35	-
<b>17-0-5</b> ASP17M2X25 / 10003636	6 - 12	8 - 12	-	0.5	1.0	0.1	0.1	-	-	-	8.4	10.67	-
<b>18-3-6</b> ASP18M2X25 / 10003635	6 - 12	8 - 12	-	-	0.5	0.05	0.05	0.05	-	-	8.0	10.64	-
<b>20-3-5</b> ASP20FE2X25 / 10003634	6 - 12	8 - 12	-	-	0.5	-	-	-	-	-	8.0	10.45	-
<b>28-0-0</b> ASP282X25 / 10003584	6 - 12	8 - 12	-	-	-	-	-	-	-	-	9.5	10.7	-

Analysis		Туріс	al Rates	N	Compo	sition (	%)	Sou	rces		_	Other	Nutrie	nts (%)		_		
(Legacy Product Code / New Product Code)	Feature																Bulk Density	Pkg. Wt.
TEE TIME®	100 SGN FER	<b>ILIZERS</b>	FEATURIN	G MU	TECH	® SLO\	W REI	_EAS	E NIT	ROG	EN							
<b>A-TEP</b> ASP83296.6 10006157	Minor Nutrient Package; SGN 100		for use rate mation	-	-	-	-	-	-	8.0	12.0	3.0	0.1	0.1	-	9.0	67.0	50 lb
<b>0-0-28</b> AGCSOPGM5.1 10005171	SOP, Fe, Mg, Mn	3.6 - 7.2	1.0 - 2.0 K	-	-	-	-	-	SOP	3.0	5.0	3.0	0.1	0.1	-	9.5	69.7	50 lb
<b>0-0-44</b> AGCK445.40 10004963	PCSOP	2.3 - 4.5	1.0 - 2.0 K	-	-	-	-	-	SOP	-	-	-	-	-	-	20.0	66.7	50 lb
<b>O-O-50</b> AGCGSOPG5 10004954	SOP	2.0 - 4.0	1.0 - 2.0 K	-	-	-	-	-	SOP	-	-	-	-	-	-	17.0	75.0	50 lb
<b>8-0-16</b> AGC8M5.40 10004936	SOP, Fe, Mn, Mg	3.1 - 6.3	0.5 - 1.0 K	8.0	-	-	-	-	SOP	2.0	3.0	5.0	-	-	-	14.5	71.2	50 lb
<b>10-18-18</b> AGC10WM5.5 10004864	50% MUtech®	2.8 - 5.6	0.5 - 1.0 P, K	3.8	1.9	1.8	2.5	MAP	SOP	1.0	-	0.1	0.1	0.1	-	6.1	64.9	50 lb
<b>10-20-20</b> AGC10W5.40 10004791	50% MUtech®	2.5 - 5.0	0.5 - 1.0 P, K	4.2	1.5	1.8	2.5	МАР	SOP	-	-	-	-	-	-	6.8	61.3	50 lb
<b>13-2-13</b> AGC13M5.40 10004866	Amm Sulfate	3.8 - 7.7	0.5 - 1.0 N, K	13.0	-	-	-	MAP	SOP	2.0	-	0.1	0.1	0.1	-	18.4	65.1	50 lb
<b>14-28-10</b> AGC142M5.40 10004867	50% MUtech®	1.8 - 3.6	0.5 - 1.0 P	5.9	2.1	2.5	3.5	MAP	SOP	1.0	-	0.1	0.1	0.1	-	3.4	61.0	50 lb
<b>15-0-29</b> AGC152M5.40 10004869	100% MUtech®	1.7 - 3.4	0.5 - 1.0 K	-	2.3	5.3	7.5	-	SOP	1.0	-	0.1	0.1	0.1	-	9.9	61.5	50 lb
<b>16-2-18</b> AGC167WM5.40 10004872	45% MUtech®	3.1 - 6.3	0.5 - 0.9 N	7.2	2.7	2.5	3.6	MAP	SOP	1.0	0.5	1.0	-	-	-	13.4	61.1	50 lb
<b>18-0-18</b> AGC8352.40 10004891	55% MUtech®	2.8 - 5.6	0.5 - 1.0 N, K	1.6	8.0	3.5	5.0	-	SOP	3.0	-	-	-	-	-	7.9	56.2	50 lb
<b>18-6-15</b> AGC184M5.40 10005072	65% MUtech®	2.8 - 5.6	0.5 - 1.0 N	1.27	6.79	4.1	5.9	MAP	SOP	2.0	-	0.1	0.1	0.1	-	5.1	54.9	50 lb
<b>19-5-19</b> AGC19WM5.40 10005085	25% MUtech®	2.6 - 5.3	0.5 - 1.0 N, K	1.06	13.90	1.7	2.4	МАР	SOP	2.0	-	0.1	0.1	0.1	-	6.4	55.5	50 lb
<b>21-3-16</b> AGC217M50.40 10005098	97% MUtech®	2.4 - 4.8	0.5 - 1.0 N	0.63	3.05	7.1	10.2	MAP	SOP	1.0	-	O.1	0.1	0.1	-	5.4	55.0	50 lb
<b>22-0-22</b> AGC225M5.40 10005103	65% MUtech®	2.3 - 4.5	0.5 - 1.0 N, K	-	9.9	5.0	7.2	-	SOP	1.0	-	0.1	0.1	0.1	-	7.5	56.9	50 lb

# **FERTILIZERS**

Analysis		Typica	al Rates	N	Compo	sition (9	%)	Sou	rces			Other	Nutrie	nts (%)				
	Feature																Bulk Density	Pkg. Wt.
TEE TIME®	125-135 SGN F	ERTILIZE	RS FEATU	RING	MUTE	CH® S	LOW	RELE	EASE	NITR	OGE	N						
<b>16-4-8</b> AGC16M5.40 10004874	Amm Sulfate	3.1 - 6.3	0.5 - 1.0 N	16.0	-	-	-	DAP	SOP	1.0	-	O.1	O.1	0.1	-	19.2	63.2	50 lb
<b>19-26-5</b> AGC19WM50.40 10005087	18% Mutech®	1.9 - 3.8	0.5 - 1.0 P	10.2	5.9	1.2	1.7	DAP	SOP	1.0	-	0.1	0.1	O.1	-	1.7	57.0	50 lb
<b>22-4-18</b> AGC227I5.40 10005105	93% Mutech®	2.3 - 4.5	0.5 - 1.0 N	1.6	3.1	7.2	10.2	DAP	SOP	1.0	-	-	-	-	-	6.1	56.0	50 lb
<b>25-5-15</b> AGC254M5.40 10005141	50% Mutech®	2.0 - 4.0	0.5 - 1.0 N	2.0	12.4	4.4	6.3	DAP	SOP	1.0	-	0.1	0.1	0.1	-	5.1	55.1	50 lb
150 SGN F	ERTILIZERS F	EATURING	S МUТЕСН	<sup>®</sup> -L & I	MUTE	CH®-X	L SLO	W RE	ELEA	SE N	ITRO	GEN						
<b>28-0-10</b> AGC282W5.40 10005153	100% MUtech*-L	1.8 - 3.6	0.5 - 1.0 N	-	2.5	17.0	8.5	-	SOP	-	-	-	-	-	-	3.4	53.6	50 lb
<b>39-0-0</b> AGC391W5.40 10005160	100% MUtech*-L	1.3 - 2.6	0.5 - 1.0 N	-	3.5	23.7	11.8	-	-	-	-	-	-	-	-	-	46.0	50 lb
150 SGN F	ERTILIZERS F	EATURING	G POLY-S®	& NS-!	54™ S	LOW	RELE	ASE N	NITRO	OGEN	ı							
<b>21-0-20</b> AGC8391.40 10004895	100% Poly-S®	2.4 - 4.8	0.5 - 1.0 N	-	21.0	-	-	-	SOP	-	-	-	-	-	-	8.8	56.0	50 lb
<b>23-0-10</b> AGC231FE50.40 10005118	65% Poly-S*	2.2 - 4.4	0.5 - 1.0 N	-	23.0	-	-	-	SOP	5.0	-	-	-	-	-	4.8	55.8	50 lb
<b>25-2-12</b> AGC8876.40 10004933	97% Poly-S®	2.0 - 4.0	0.5 - 1.0 N	0.8	24.2	-	-	DAP	SOP	-	-	-	-	-	-	6.3	53.5	50 lb
150 SGN F	ERTILIZERS F	EATURING	G FORTIFY	®-N A	ND/O	R AVA	AL®											
<b>23-0-6</b> AGC23UFE5.40 10005125	50% Fortify®-N	2.2 - 4.3	0.5 - 1.0 N	-	23.0	-	-	-	KCI	2.0	-	-	-	-	-	-	57.6	50 lb
<b>23-0-12</b> AGC23UM5.40 10005128	70% Fortify*-N	2.2 - 4.3	0.5 - 1.0 N	6.9	16.1	-	-	-	SOP	2.0	-	1.0	-	-	÷	7.8	53.1	50 lb
<b>23-4-10</b> AGC23UAP5.40 10005122	80% Fortify*-N AVAIL*	2.2 - 4.3	0.5 - 1.0 N	1.6	21.4	-	-	DAP	SOP	2.0	-	-	-	-	-	3.4	53.1	50 lb
<b>25-0-9</b> AGC25UM5.40 10005144	80% Fortify*-N	2.0 - 4.0	0.5 - 1.0 N	-	25.0	-	-	-	KCI	2.0	1.0	1.0	-	-	-	-	57.7	50 lb
FERTILIZE	RS FEATURIN	G SURFAC	CTANT															
Biomend® 10-0-6 ASPIOHUWSURF5 10005777	3% Humic DG™, Amino Acids, Trifactant	2.5 - 10.0	0.25 - 1.0 N	-	7.2 Nitrate	2.4	0.4	-	SOP	-	-	-	-	-	-	1.9	54.6	50 lb

# **FERTILIZERS**

Analysis		Typic	al Rates	N	Compo	sition (	%)	Sou	rces		_	Other	Nutrier	nts (%)	_	_	_	_
	Feature	Products Lbs/M						Р		Fe						S	Bulk Density	Pkg. Wt.
240 SGN F	ERTILIZERS F	EATURIN	G EXTEND	™ POI	YMER	R COA	TED S	LOW	REL	EASE	NIT	ROGI	EN					
<b>27-3-11</b> AGC83011.40 10004888	48% Extend™ & 48% Poly-S®	1.9 - 3.7	0.5 - 1.0 N	1.2	25.8	-	-	DAP	KCI	1.0	-	2.0	-	-	-	1.2	53.8	50 lb
240 SGN F	ERTILIZERS F	EATURIN	G POLY-S®	& NS-	·54™ S	LOW	RELE	ASE	NITR	OGE	1							
<b>20-4-20</b> AGC20IFE5.40 10005089	60% NS-54™	2.5 - 5.0	0.5 - 1.0 N, K	1.6	18.4	-	-	DAP	KCI	5.0	-	-	-	-	-	1.1	57.7	50 lb
<b>28-0-10</b> AGC2816M5.40 10005147	60% NS-54™	2.7 - 5.4	0.75 - 1.5 N	-	28.0	-	-	-	SOP	3.0	-	1.0	-	-	-	5.0	53.5	50 lb
<b>38-0-0</b> AGC3815.40 10005157	100% NS-52™ 12% sulfur	2.6 - 5.3	1.0 - 2.0 N	-	38.0	-	-	-	-	-	-	-	-	-	-	12.0	46.5	50 lb
<b>43-0-0</b> AGC4315.40 10003156	100% NS-54™ SGN 240	2.3 - 4.7	1.0 - 2.0 N	-	43.0	-	-	-	-	-	-	÷	-	-	-	4.0	46.0	50 lb
240 SGN F	ERTILIZERS F	EATURIN	G POLY-S®	SLOW	V RELI	EASE	NITRO	OGEN										
<b>25-3-10</b> AGC252FE5.40 10005137	95% Poly-S*	2.0 - 4.0	0.5 - 1.0 N	1.2	23.8	-	-	DAP	SOP	2.0	-	-	-	-	-	5.6	53.9	50 lb
<b>30-3-9</b> AGC83730.40 10004893	50% Poly-S*	3.3 - 6.7	1.0 - 2.0 N	1.2	28.8	-	-	DAP	KCI	2.0	-	-	-	-	-	1.4	51.9	50 lb
SPRAYABL	E NUTRIENT F	PRODUCT	S															
<b>46-0-0</b> APT4651.5 10005645	Water Soluble, 100% Fortify*-N	2.2 - 4.3	1.0 - 2.0 N	-	46.0	-	-	-	-	-	-	-	-	-	-	-	47.0	50 lb



Analysis		Туріс	al Rates	N C	Compo	sition (	(%)	Sou	rces	Active Ingredient		Bulk	Pkg.	
(Legacy Product Code / New Product Code)	Feature	Products Lbs/M	Nutrients Lbs/M	Amm N	Urea N	WIN	WSN	Р	K	Rates (Per Acre)	SGN	Density	Wt.	
BARRICADE® PROD	истѕ													
<b>6-0-16</b> AGC6BR5.40 10004882	0.426% Barricade* & DG Pro*	2.7 - 5.4	0.4 - 0.9 K	-	6.0	-	-	-	KCI	0.50 - 1.0 lb prodiamine	150	61.7	50 lb	
O.48% Barricade® on DG Pro® APTDG48BR5.40 10005674	0.48% Barricade®	3.1 - 7.1	D	G Pro®	Carrie	r		-	-	0.65 - 1.5 lb prodiamine	150	44.8	50 lb	
<b>19-0-19</b> AGC197BR5.40 10005079	0.48% Barricade*, 40% Poly-S* & DG Pro*	3.5 - 7.2	0.7 - 1.4 N, K	-	19.0	-	-	-	KCI	0.73 - 1.5 lb prodiamine	150	50.2	50 lb	
DIMENSION® PROD	UCTS													
<b>14-0-14</b> AGC86914.40 10004928	0.164% Dimension*/ 50% NS-54™	2.6 - 5.2	0.4 - 0.7 N, K	-	14.0	-	-	-	KCI	0.19 - 0.37 lb dithiopyr	150	62.3	50 lb	
<b>18-3-12</b> APTI8DM5.40 10005352	0.164% Dimension*/ 25% NS-54™	2.6 - 7.0	0.5 - 1.3 N	1.2	16.8	-	-	DAP	KCI	0.19 - 0.50 lb dithiopyr	150	58.0	50 lb	
<b>0.25% Dimension® on DG Pro®</b> APTDG25DM5.40 10005667	0.25% Dimension®	2.4 - 4.6 DO		G Pro®	Carrie	r		-	-	0.26 - 0.50 lb dithiopyr	150	46.3	50 lb	
<b>15-0-10</b> APT157DM5.40 10005594	0.25% Dimension*/ 50% NS-54™	2.3 - 4.6	0.3 - 0.7 N	·	15.0	-	-	-	KCI	0.25 - 0.50 lb dithiopyr	150	62.0	50 lb	
<b>19-0-19</b> AGC197DM5.40 10005082	0.25% Dimension*, 40% Poly-S* & DG Pro*	1.7 - 4.6	0.3 - 0.9 N, K	-	19.0	-	-	-	SOP	0.19 - 0.50 lb dithiopyr	150	56.8	50 lb	
DIMENSION® & ACE	LEPRYN® PRODUC	тѕ												
<b>0-0-8</b> ASPK8DA5.40 10006260	0.167% Dimension* & 0.067% Acelepryn*	3.44 - 6.88	0.3 - 0.6 K	-	-	-	-	-	SOP	0.25 - 0.50 lb dithiopyr 0.10 - 0.20 lb chlorantraniliprole	150	49.66	50 lb	
<b>28-0-3</b> ASP282WDA5.40 10006083	0.167% Dimension®, 0.067% Acelepryn® & MUtech®-L	3.44 - 6.88	1.0 - 1.9 N	2.03	4.67	14.76	6.54	-	SOP	0.25 - 0.50 lb dithiopyr 0.10 - 0.20 lb chlorantraniliprole	150	48.73	50 lb	
<b>30-0-10</b> ASP30IDA5 10006089	0.222% Dimension®, 0.067% Acelepryn®, 100% Extend™	3.44 - 6.88	1.0 - 2.0 N	-	30.0	-	-	-	KCI	0.33 - 0.66 lb dithiopyr, 0.10 - 0.20 lb chlorantraniliprole	240	52.07	50 lb	

# **HERBICIDES**

Analysis		Туріс	al Rates	N	Compo	sition (	%)	Sou	rces				
	Feature	Products Lbs/M						Р		Active Ingredient Rates (Per Acre)	SGN	Bulk Density	Pkg. Wt.
RONSTAR® PI	RODUCTS ALL RONSTA	AR PRODUCT:	S NOW UTILIZE	ADVAN	ICED HC	T MELT	FORML	ILATION	TECHNC	DLOGY			
<b>5-0-15</b> ASP5R15.40 10006137	1.0% Ronstar®	4.6 - 6.9	0.7 - 1.0 K	-	5.0	-	-	-	KCI	2.0 - 3.0 lb oxadiazon	215	75.1	50 lb
<b>5-0-15</b> ASP5R150.40 10006139	1.0% Ronstar®	4.6 - 6.9	0.7 - 1.0 L	-	5.0	-	-	-	KCI	2.0 - 3.0 lb oxadiazon	150	74.9	50 lb
<b>22-0-0</b> ASP222R150.40 10005845	1.0% Ronstar*/ 100% NS-54™	4.6 - 6.9	1.0 - 1.5 N	-	22.0	-		-	-	2.0 - 3.0 lb oxadiazon	150	59.0	50 lb
<b>22-4-11</b> AGC22WR15.40 10005112	1.0% Ronstar* 40% MUtech*	4.6 - 6.9	1.0 - 1.5 N	1.6	13.0	3.1	4.4	DAP	SOP	2.0 - 3.0 lb oxadiazon	125	59.2	50 lb
<b>8-4-24</b> AGC8R15.40 10004938	1.38% Ronstar®	3.0 - 5.0	0.7 - 1.2 K	1.6	6.4	-	-	DAP	KCI	1.8 - 3.0 oxadiazon	215	70.3	50 lb
<b>21-0-20</b> AGC211R5.40 10005093	1.38% Ronstar* 50% Poly-S*	3.0 - 6.7	0.6 - 1.4 N	-	21.0	-	-	-	KCI	1.8 - 4.0 lb oxadiazon	150	53.5	50 lb
RONSTAR® &	SFT™ TECHNOLOG	Y											
<b>15-5-10</b> AGC8684.40 10004923	1.0% Ronstar* 40% NS-54™	3.5 - 6.9	0.5 - 1.0 N	2.0	13.0	-	-	DAP	KCI	1.5 - 3.0 lb oxadiazon	215	64.0	50 lb
<b>SFT™ 22-0-10</b> AGC222R5.40 10005100	1.0% Ronstar*/ 100% NS-54™	4.6 - 6.9	1.0 - 1.5 N	-	22.0	-	-	-	KCI	2.0 - 3.0 lb oxadiazon	240	56.6	50 lb
RONSTAR® C	OMBINATION PROD	OUCTS											
<b>0-0-22</b> AGCDMR5.2 10004950	0.125% Dimension® & 1% Ronstar®	3.4 - 4.6	0.7 - 1.0 K	-	-	-	-	-	SOP	0.2 - 0.25 lb dithiopyr 1.5 - 2.0 lb oxadiazon	125	81.4	50 lb
<b>22-0-16</b> AGC22DMR5.5 10005110	0.125% Dimension*, 1% Ronstar*, 50% MUtech*	3.4 - 4.6	0.7 - 1.0 N	-	12.7	3.9	5.5	-	SOP	0.2 - 0.25 lb dithiopyr 1.5 - 2.0 lb oxadiazon	125	60.0	50 lb
<b>36-0-0</b> ASP36DMR5.5 10006104	0.125% Dimension*, 1% Ronstar*, 100% UF	3.4 - 4.6	1.2 - 1.7 N	-	4.2	25.2	6.6	-	-	0.2 - 0.25 lb dithiopyr 1.5 - 2.0 lb oxadiazon	125	45.5	50 lb
PROPENDI™	PRODUCTS												
<b>11-3-11</b> AGC8633.40 10004917	0.86% ProPendi™/ 40% Poly-S*	3.3 - 5.3	0.4 - 0.6 K	1.2	9.8	-	-	DAP	KCI	1.3 - 2.0 lb pendimethalin	150	65.3	50 lb
SPECIALTY P	RE-EMERGENT PRO	DDUCTS											
Snapshot™ on DG Pro® AGLSNAPDG.1 10005174	2.0% trifluralin 0.5% isoxaben	3.4	-	-	-	-	-	-	-	3.0 lb trifluralin 0.75 lb isoxaben	100	47.25	25 lb
Trammel® on DG Pro® APTGL5TN4.2 10005693	5% trifluralin	1.8	-	-	-	-	-	-	-	4.0 trifluralin	150	72.3	40 lb

#### **HERBICIDES**

Analysis		Туріс	al Rates	N C	Compo	sition	(%)	Sou	rces	Active Ingredient Rates		Bulk	Dice
	Feature			Amm N				Р	K	(Per Acre)	SGN	Density	Pkg. Wt.
SPECIALTY PRE-E	MERGENT PRODUC	TS FOR	FINE TUE	₹F									
<b>O-O-5 + Dithiopyr</b> AGCDGDT5.40 / 10004941	0.103% dithiopyr	2.8 - 8.4	0.1 - 0.4 K	-	-	-	-	-	SOP	0.13 - 0.38 lb dithiopyr	100	47.5	50 lb
<b>0-0-20 + Dithiopyr</b> AGCSOPDT5.40 / 10005169	0.164% dithiopyr	2.6 - 5.2	0.5 - 1.0 K	-	-	-	-	-	SOP	0.19 - 0.37 lb dithiopyr	100	54.3	50 lb
<b>10-3-10 + Dithiopyr</b> AGC10WDT5.40 / 10004862	0.164% dithiopyr 65% MUtech®	2.6 - 5.2	0.63	3.85	2.3	3.3	MAP	SOP	0.19 - 0.37 lb dithiopyr	100	53.0	50 lb	
<b>18-6-15 + Dithiopyr</b> AGC184DT5.40 / 10005070	0.164% dithiopyr/ 65% MUtech®	2.6 - 5.2	1.27	6.79	4.1	5.9	MAP	SOP	0.19 - 0.37 lb dithiopyr	100	53.2	50 lb	
Goosegrass Crabgras Control AGC8656.2 / 10004921	8.5% bensulide	2.6 - 5.2		Carrier			-	-	0.75 - 1.49 lb oxadiazon 3.0 - 6.0 lb bensulide	75	47.4	28.8 lb	
PRE-EMERGENT H	ERBICIDES FOR SE	EDING											
21-22-4 + Mesotrione ASP21WMSFE4 / 10002372	0.08% Mesotrione	4.3	0.95 P	4.5	9.1	0.6	6.8	MAP	SOP	0.15 lb mesotrione	125	40.0	40 lb
POST-EMERGENT	BROADLEAF WEE	CONT	ROL										
16-0-5 + Millennium Ultra® AGC16UML4 / 10004877	0.869% Millennium 25% Fortify*-N	4.0	0.6 N	-	16.0	-	-	-	KCI	1.20 lb 2, 4-D 0.12 lb clopyralid 0.12 lb dicamba	150	51.6	40 lb
<b>18-5-9 + Millennium Ultra®</b> AGC185ML4.3 / 10005074	0.869% Millennium 30% NS-54™	4.0	0.7 N	2.0	16.0	-	-	DAP	KCI	1.20 lb 2, 4-D 0.12 lb clopyralid 0.12 lb dicamba	150	48.9	40 lb
21-0-18 + Dicot IV AGC211WF4 / 10005096	Dicot IV 50% MUtech®	3.2 - 3.6	0.7 - 0.8 N	-	12.1	3.7	5.3	-	SOP	1.06 - 1.19 lb 2, 4-D 0.24 - 0.27 lb MCPP 0.10 - 0.11 lb dicamba	125	49.0	40 lb
<b>16-0-9 + Surge</b> ® APT164SR4.6 / 10005605	Surge* 25% Poly-S*	2.5 - 4.0	0.4 - 0.6 N	-	16.0	-	-	-	KCI	1.26 - 2.01 lb 2, 4-D 0.19 - 0.30 lb MCPP 0.08 - 0.13 lb dicamba 0.04 - 0.06 lb sulfentrazone	150	50.4	40 lb

# WORST WEED. BEST PICK.



Goosegrass can spoil a putting green surface. Start the season off right with an application of Goosegrass Crabgrass Control or one of our Fertilizer + Dithiopyr products. Labeled and formulated for use on bentgrass and bermudagrass greens, these are the most effective pre-emergent controls for goosegrass and other stubborn grassy weeds.





Watch our video, "The Andersons Goosegrass/Crabgrass Control - Application Tips" on The Andersons Pro YouTube channel: YouTube.com/AndersonsPro.

Analysis		Туріс	al Rates	N	l Compo	sition (%	6)	Sou	rces	Active Ingredient		Bulk	Pkg.
	Feature							Р		Rates (Per Acre)	SGN	Density	Wt.
<b>8% Carbaryl on DG Pro</b> * APT8CR5.40 / 10005662	8% Carbaryl on DG Pro®	1.7 - 2.4		DG Pro	o® Carrie			-	-	5.9 - 8.4 lb carbaryl	150	42.2	50 lb
O.2% GrubOut* on DG Pro* APTDGGB40.2 / 10005682	0.2% GrubOut* on DG Pro*	3.0 - 4.0		DG Pro	o® Carriei			-	-	0.26 - 0.35 lb imidacloprid	150	46.0	40 lb
Insecticide III on DG Pro* AGC8222.4 / 10004886	1.34% chlorpyrifos	1.3 - 1.7	DG Pro® Carrier					-	-	0.75 - 1.00 lb chlorpryrifos	100	47.0	28.1 lb
O-O-5 + Acelepryn® on DG Pro® ASPK5AC5.40 / 10005973	0.067% Acelepryn* on DG Pro*	3.4 - 11.5	0.2 - 0.6 K	° Carrier		-	SOP	0.10 - 0.33 lb chlorantraniliprole	100	48.3	50 lb		
<b>15-0-15 + Acelepryn®</b> ASPI5UAC50.40 / 10006011	0.067% Acelepryn® 100% Fortify®-N	3.4 - 11.5	0.5 - 1.7 N, K	-	15.0	-	-	-	SOP	0.10 - 0.33 lb chlorantraniliprole	150	63.0	50 lb
<b>26-0-6 + Acelepryn</b> * ASP269WAC5.40 / 10006075	0.067% Acelepryn* 92% MUTech*-L	3.44 - 11.47	0.9 - 3.0 N	2.0	3.03	14.53	6.44	-	SOP	0.10 - 0.33 lb chlorantraniliprole	150	50.2	50 lb
Duocide® (Non-Golf) APTDGDU4/10005680	2.3% carbaryl 0.058% bifenthrin	2.0 - 8.0	3.0 DG Pro* Carrier					-	-	2.0 - 8.0 carbaryl 0.05 - 0.2 lb bifenthrin	150	47.0	40 lb
ProSect® (Non-Golf) APTDGBF5.40 / 10005676	0.15% bifenthrin	0.7 - 6.1							-	0.05 - 0.4 lb bifenthrin	150	46.6	50 lb



- **WHITE GRUBS**
- **ARMY WORMS**
- **O** CHINCH BUGS
- **SOD WEBWORM**

# **NEXT-LEVEL GRUB CONTROL, ABOVE AND BELOW.**

DuoCide represents the only solution designed to suppress insects both above AND below the surface. Featuring carbaryl and bifenthrin, DuoCide is a broad-spectrum insecticide designed for the preventative and curative treatment of feeding insects, including white grubs, army worms, chinch bugs, sod webworm, and many more!

For more information, visit: AndersonsPlantNutrient.com/Duocide







Analysis		Typic	al Rates	N (	Compos	sition (	%)	Sou	rces	Active Ingredient		Bulk	Pkg.
	Feature									Rates (Per Acre)	SGN	Density	Wt.
FUNGICIDES WITH FERT	ILIZERS												
Fertilizer Plus Fungicide VIII 6-0-12 ASP8570 / 10006159	65% MUtech®	1.5 - 3.0	0.18 - 0.36 K	2.1	0.59	1.36	1.95	-	SOP	0.7 - 1.4 lb iprodione 1.4 - 2.7 lb thiophanate	75	52.45	40 lb
Fertilizer Plus Fungicide VIII 23-3-5 AGC8569.4 / 10004906	55% MUtech®	1.5 - 3.0	0.35 - 0.7 N	1.17	10.92	4.49	6.42	MAP	SOP	0.7 - 1.4 lb iprodione 1.4 - 2.7 lb thiophanate	100	48.48	40 lb

#### **GRANULAR FUNGICIDES**

<b>Analysis</b> (Legacy P New Prod		Products Lbs/M	Carrier	Sou P	irces K	Active Ingredient Rates (Per Acre)	SGN	Bulk Density	Bag Wt.
on DG P	Eagle® Fungicide Pro® / 10004911	2.0 - 8.0	DG Pro® Carrier	-	-	0.3 - 1.4 lb myclobutanil	100	47.0	44 lb
Fungici	sy* 0.72G de on DG Pro* 40 / 10005686	2.5 - 5.0	DG Pro® Carrier			0.8 - 1.6 lb propiconazole	100	47.3	40 lb
Fungici	sy* 0.72G de on DG Pro* 2/10005684	2.5 - 5.0	DG Pro® Carrier			0.8 - 1.6 lb propiconazole	100	47.3	25 lb
Fungici	Granular de on DG Pro® RO / 10006414	3.0 - 9.0	DG Pro® Carrier	-	-	2.7 - 8.2 lb thiophanate methyl	150	46.6	30 lb
Chloroti 5G Fung ASPCH4/		1.9 - 5.2	Pulp Carrier	-	-	4.1 - 11.3 lb chlorothalonil	75	46.3	40 lb
Fungicio AGC8510.	<b>de X</b> 5 / 10004903	2.4 - 7.2	Pulp Carrier	-	-	1.4 - 4.1 lb iprodione	75	46.3	40 lb
	ard* Fungicide G PZ3 / 10005912	1.66 - 6.66	Ecogran	-	-	2.8 - 11.2 lb chlorothalonil 0.45 - 1.8 lb propiconazole 0.11 - 0.46 fludioxonil	125	32	30 lb

#### **GROWTH REGULATORS**

(lick here to explore Growth Regulators on our website.

Analysis		Туріс	al Rates	N	Compo	sition (9	%)	Sou	rces	Active Ingredient		Bulk	Pkg.	
	Feature								K	Rates (Per Acre)	SGN	Density	Wt.	
<b>14-0-28</b> 0.13% Turf Enhancer AGC8737.40 / 10004931	50% MUtech®/SOP	1.7 - 3.3	0.2 - 0.5 N	-	8.1	2.5	3.5	-	SOP	0.10 - 0.19 lb paclobutrazol	100	63.4	50 lb	
Governor® G SGN 75 ASPGR341 / 10005919	0.15% Trinexapac-ethyl	1.7 - 5.2	Pulp carrier	-	-	-	-	-	-	0.11 - 0.34 lb trinexapac-ethyl	75	46.6	34 lb	

# **VERSAGARD® FUNGICIDE G**

VersaGard is a three-way active ingredient combination of chlorothalonil, propiconazole, and fludioxonil. This fungicide can be used to combat a wide variety of summer and winter season diseases. Combining these active ingredients on our patented carrier makes for easy application with any professional spreader from The Andersons.

For more information, visit:







#### **EXCLUSIVE HELICAL CONE TECHNOLOGY**

The Andersons Model 2000 and Model 2000 SR professional spreaders include our innovative helical cone technology. The helical cone, located above the impeller, can be adjusted to place the fertilizer at the correct location on the impeller to provide an even spread pattern. The helical cone allows for even spreading of all sizes of fertilizer granules, and it is only available from The Andersons.



#### MODEL 2000 SR™ PROFESSIONAL ROTARY SPREADER

- Utilizes patented "Helical Cone" technology for a superior spread pattern
- Includes side deflector shield and port shut-off for limiting spread pattern
- Heavy duty stainless steel frame tubing resists corrosion and adds rigidity
- Extra-large hopper capacity
- · Extended handle
- 13" turf saver pneumatic tires
- Integrated front lift handle
- Hopper cover included
- · Limited lifetime gear warranty



#### MODEL SSD™ DROP SPREADER

- High-quality stainless steel hopper, metering mechanism and hardware to prevent corrosion and extend spreader life
- Heavy duty stainless steel frame to extend spreader life
- Pneumatic turf saver tires for track free application to premium turf
- Precision metering for applying a variety of fertilizers, control products and seeds
- Vinyl hopper cover to protect material from weather



#### MODEL 2000™ PROFESSIONAL ROTARY SPREADER

- Utilizes patented "Helical Cone" technology for superior spread pattern
- · Extra-large hopper capacity
- · Extended handle
- Heavy duty frame tubing for extra rigidity
- 13" turf saver pneumatic tires
- · Integrated front lift handle
- · Hopper cover included
- · Limited lifetime gear warranty



For more information on our line of professional-grade spreaders, visit The Andersons Pro YouTube channel: YouTube.com/AndersonsPro

#### PRIZELAWN® ARC 1 ACCURATE CALIBRATOR

The Prizelawn Calibrator attaches to the spreader and collects granular materials or seeds, which can then be easily removed for weighing to determine the accuracy of the spreader setting with a given product. The ARC 1 Calibrator will fit most professional rotary spreaders.



Watch our video, "Make Calibration Simple with the Prizelawn\* ARC 1 Spreader Calibrator" on The Andersons Pro YouTube channel: YouTube.com/AndersonsPro.







#### **OUTPERFORMS THE COMPETITION**

Ice Vise melts over 35% more ice at -4°F than the leading liquid deicer.

#### NO TRACKING INDOORS

PROFESSIONAL GRADE

SAFE FOR TURF AND PLANTS

Ice Vise is a professional grade, chloride-free liquid ice melt designed to be applied to high traffic areas around commercial or residential locations including sidewalks, ramps, and steps. Applying Ice Vise during or after a winter weather event will help to deice these surfaces, providing a safer environment for walking, Ice Vise's chloride-free formula is the safest ice melt option for interior surfaces.

Available packaging sizes: 2x2.5 gallon, 35 gallon drum, and 275 gallon tote

For more information, visit AndersonsPlantNutrient.com/IceVise

#### WEBSITE RESOURCES

# **WEBSITE RESOURCES**

#### Andersons Plant Nutrient.com/Turf

#### PRODUCT INFORMATION

View product information, including SGN size, package weight, bulk density, and spreader settings. You can also download product sheets, labels, and SDS documents.

#### **FACILITIES AND SALES REPS**

View a map with contact information for our facilities and territory managers.

#### **FIND A DISTRIBUTOR**

Find a distributor of The Andersons products that's closest to you with contact information and links to their websites.

#### **BLOG**

Follow our blog to stay up to date with the latest product information, agronomy tips, news, and videos.

#### **STATE REGISTRATIONS**

See which of our products are registered in each state. Search by state, product, or EPA number.



#### CONTACT

Use this form to ask questions or request any of the following:

- · Specific product sheets, labels, or SDS not listed on our Products page
- Copy of our brochures
- Product samples

#### **CUSTOMER PORTAL**

Distributors can gain access to orders, account information, and more! For more information or assistance with signing up, contact your territory manager from The Andersons.

## **ABOUT THE ANDERSONS, INC.**

The Andersons, Inc. is a diversified company rooted in agriculture that conducts business in the commodity merchandising, ethanol biofuels, and plant nutrient sectors. Guided by its Statement of Principles, The Andersons strives to provide extraordinary service to its customers, help its employees improve, support its communities, and increase the value of the company.

Founded by Harold Anderson and his family in 1947 in Maumee, Ohio, and privately owned until 1996, the premise of the original organization was to make it as easy as possible for regional farmers to take their grain to market. The business model of serving others is the foundation on which the company was built. Today, The Andersons' more than 2,400 employees conduct business from over 150 locations and continue to be committed to providing extraordinary service with the utmost integrity.







#### **Our Mission:**

We firmly believe that our Company is a powerful vehicle through which we channel our time, talent, and energy in pursuit of the fundamental goal of serving God by serving others. Through our collective action, we greatly magnify the impact of our individual efforts to:

- Provide extraordinary service to our customers
- Help each other improve
- Support our communities
- Increase the value of our Company



AndersonsPlantNutrient.com/Turf 800-253-5296





©2022 The Andersons, Inc. All rights reserved, Biomend, Black Gypsum D.G., CharX, Contec D.G., D.G. Pro, DuoCide, Foltec, Fortify, Genesis Rx, Governor, GrubOut, HCU, Kal-tec. MUtech, Prophesy, ProSect, SmartPhos, Tee Time, TGR, Trammel, Turf Nutrition Tool, UltraMate, and VersaGard are registered trademarks of The Andersons, Inc. Chlorofast-Cytozorb-S, DG Gypsum, DG Lime, Extend, Golden Eagle, Humic DG, Mag-tec, Model 2000, Model 2000 SR, Nitroplast-S, NS-54, Nusion, ProPendi, SFT, Snapshot, and Tur-Gade are trademarks of The Andersons, Inc. AVAIL is a registered trademark of Verdesian Life Sciences. Acelepryn is a registered trademark of DuPont. Barricade is a trademark of Syngenta Group Company. Betasan and Tupersan are registered trademarks of Gowan Company. Dimension is a registered trademark of Dow AgroSciences. KeyPlex is a registered trademark of Morse Enterprises. Poly-S is a registered trademark of The Scotts Co. Merit and Ronstar are registered trademarks of Bayer. Surge is a registered trademark of PBI/Gordon Corporation. Humic DG and Black Gypsum DG - US Patent No. 8,388,722. 011721